

BIBLIOGRAPHIE

- [1] Abad S, et al. Orbitopathies inflammatoires. Que doit savoir l'interniste ? *La Revue de Médecine Interne* 2018;39:746–54.
- [2] Pénisson-Besnier I, Lamirel C. Ocular disturbances in neuromuscular disorders. *Rev Neurol (Paris)* 2008;164:902–11.
- [3] Ravenscroft G, Laing NG, Bönnemann CG. Pathophysiological concepts in the congenital myopathies: blurring the boundaries, sharpening the focus. *Brain* 2015;138:246–68.
- [4] Hirano M, DiMauro S. ANT1, Twinkle, POLG, and TP: new genes open our eyes to ophthalmoplegia. *Neurology* 2001;57:2163–5.
- [5] Peyronnard JM, Charron L, Bellavance A, Marchand L. Neuropathy and mitochondrial myopathy. *Ann Neurol* 1980;7:262–8.
- [6] Auré K, Ogier de Baulny H, Laforêt P, et al. Chronic progressive ophthalmoplegia with large-scale mtDNA rearrangement: can we predict progression? *Brain* 2007;130:1516–24.
- [7] Mancuso M, Orsucci D, Angelini C, et al. Redefining phenotypes associated with mitochondrial DNA single deletion. *Neurol* 2015;262:1301–9.
- [8] Hanish F, Kornhuber M, Alston CL, et al. SANDO syndrome in a cohort of 107 patients with CPEO and mitochondrial DNA deletions. *JNNP* 2015;86:630–4.
- [9] Horga A, Pitceathly RD, Blake JC, et al. Peripheral neuropathy predicts nuclear gene defect in patients with mitochondrial ophthalmoplegia. *Brain* 2014;137:3200–12.
- [10] Durmus H, Laval SH, Deymeer F, et al. Oculopharyngodistal myopathy is a distinct entity: clinical and genetic features of 47 patients. *Neurology* 2011;76:227–35.
- [11] Luigetti M, Lo Monaco M, Mirabella M, et al. Oculopharyngeal muscular dystrophy: clinical and neurophysiological features. *Clin Neurophysiol* 2015;126:2406–8.
- [12] Thornton CA. Myotonic dystrophy. *Neurol Clin* 2014;32:705–19.