

## BIBLIOGRAPHIE

- [1] Menon GJ. Complex visual hallucinations in the visually impaired: a structured history-taking approach. *Arch Ophthalmol* 2005;123:349–55.
- [2] Ffytche DH. Visual hallucinations in eye disease. *Curr Opin Neurol* 2009;22:28–35.
- [3] Pang L. Hallucinations experienced by visually impaired: Charles Bonnet syndrome. *Optom Vis Sci* 2016;93:1466–78.
- [4] Merabet LB, Maguire D, Warde A, et al. Visual hallucinations during prolonged blindfolding in sighted subjects. *J Neuroophthalmol* 2004;24:109–13.
- [5] Khan JC, Shahid H, Thurlby DA, et al. Charles Bonnet syndrome in age-related macular degeneration: the nature and frequency of images in subjects with end-stage disease. *Ophthalmic Epidemiol* 2008;15:202–8.
- [6] Jackson ML, Bassett K, Nirmalan PV, Sayre EC. Contrast sensitivity and visual hallucinations in patients referred to a low vision rehabilitation clinic. *Br J Ophthalmol* 2007;91:296–8.
- [7] Fenelon G. Visual hallucinations: the Charles Bonnet syndrome. *Psychol Neuropsychiatr Vieil* 2003;1:121–7.
- [8] Holroyd S, Rabins PV, Finkelstein D, Lavriska M. Visual hallucinations in patients from an ophthalmology clinic and medical clinic population. *J Nerv Ment Dis* 1994;182:273–6.
- [9] Holroyd S, Rabins PV, Finkelstein D, et al. Visual hallucinations in patients with macular degeneration. *Am J Psychiatry* 1992;149:1701–6.
- [10] Abbott EJ, Connor GB, Artes PH, Abadi RV. Visual loss and visual hallucinations in patients with age-related macular degeneration (Charles Bonnet syndrome). *Invest Ophthalmol Vis Sci* 2007;48:1416–23.
- [11] Crumbliss KE, Taussig MJ, Jay WM. Vision rehabilitation and Charles Bonnet Syndrome. *Semin Ophthalmol* 2008;23:121–6.
- [12] Gilmour G, Schreiber C, Ewing C. An examination of the relationship between low vision and Charles Bonnet syndrome. *Can J Ophthalmol* 2009;44:49–52.
- [13] Pliskin NH, Kiobasa TA, Towle VL, et al. Charles Bonnet syndrome: an early marker for dementia? *J Am Geriatr Soc* 1996;44:1055–61.
- [14] Abbate C, Trimarchi PD, Inglese S, et al. Preclinical polymodal hallucinations for 13 years before dementia with Lewy bodies. *Behav Neurol* 2014;2014(694296).
- [15] Cox TM, ffytche DH. Negative outcome Charles Bonnet syndrome. *Br J Ophthalmol* 2014;98:1236–9.
- [16] Diederich NJ, Fenelon G, Stebbins G, Goetz CG. Hallucinations in Parkinson disease. *Nat Rev Neurol* 2009;5:331–42.
- [17] Weil RS, Schrag AE, Warren JD, et al. Visual dysfunction in Parkinson's disease. *Brain* 2016;139:2827–43.
- [18] McKeith IG, Boeve BF, Dickson DW, et al. Diagnosis and management of dementia with Lewy bodies: Fourth consensus report of the DLB Consortium. *Neurology* 2017;89:88–100.
- [19] Cagnin A, Gnoato F, Jelcic N, et al. Clinical and cognitive correlates of visual hallucinations in dementia with Lewy bodies. *J Neurol Neurosurg Psychiatry* 2013;84:505–10.
- [20] Adcock JE, Panayiotopoulos CP. Occipital lobe seizures and epilepsies. *J Clin Neurophysiol* 2012;29:397–407.
- [21] Bidot S, Biotti D. Migraine with visual aura. *J Fr Ophtalmol* 2016;39:554–9.
- [22] Puledda F, Schankin C, Digre K, Goadsby PJ. Visual snow syndrome: what we know so far. *Curr Opin Neurol* 2018;31:52–8.
- [23] Waters F, Collerton D, Ffytche DH, et al. Visual hallucinations in the psychosis spectrum and comparative information from neurodegenerative disorders and eye disease. *Schizophr Bull* 2014;40(Suppl 4):S233–45.