

BIBLIOGRAPHIE

Descemetorhexis sans greffe dans la dystrophie de Fuchs

- [1] Melles GRJ, Ong TS, Ververs B, van der Wees J. Descemet membrane endothelial keratoplasty (DMEK). *Cornea* 2006;25(8):987–90.
- [2] Ham L, Dapena I, van Luijk C, et al. Descemet membrane endothelial keratoplasty (DMEK) for Fuchs endothelial dystrophy: review of the first 50 consecutive cases. *Eye Lond Engl* 2009;23(10):1990–8.
- [3] Muraine M, Gueudry J, He Z, et al. Novel technique for the preparation of corneal grafts for descemet membrane endothelial keratoplasty. *Am J Ophthalmol* 2013;156(5):851–9.
- [4] Dirisamer M, Ham L, Dapena I, et al. Descemet membrane endothelial transfer: “free-floating” donor Descemet implantation as a potential alternative to “keratoplasty. *Cornea* 2012;31(2):194–7.
- [5] Nanda GG, Alone DP. REVIEW: Current understanding of the pathogenesis of Fuchs’ endothelial corneal dystrophy. *Mol Vis* 2019;25:295–310.
- [6] Balachandran C, Ham L, Verschoor CA, et al. Spontaneous corneal clearance despite graft detachment in Descemet membrane endothelial keratoplasty. *Am J Ophthalmol* 2009;148(2):227–34. e1.
- [7] Koenig SB. Long-term corneal clarity after spontaneous repair of an iatrogenic descemetorhexis in a patient with Fuchs dystrophy. *Cornea* 2013;32(6):886–8.
- [8] Lam FC, Bruinsma M, Melles GRJ. Descemet membrane endothelial transfer. *Curr Opin Ophthalmol* 2014;25(4):353–7.
- [9] Zafirakis P, Kymionis GD, Gentzelos MA, Livir-Rallatos G. Corneal graft detachment without corneal edema after Descemet stripping automated endothelial keratoplasty. *Cornea* 2010;29(4):456–8.
- [10] Arbelaez JG, Price MO, Price FW. Long-term follow-up and complications of stripping Descemet membrane without placement of graft in eyes with Fuchs endothelial dystrophy. *Cornea* 2014;33(12):1295–9.
- [11] Borkar DS, Veldman P, Colby KA. Treatment of Fuchs endothelial dystrophy by Descemet stripping without endothelial keratoplasty. *Cornea* 2016;35(10):1267–73.
- [12] Hirabayashi KE, Mark D, Lau J, Lin CC. Descemet stripping only for a chronic descemet detachment after cataract surgery. *Cornea* 2020;39(3):379–81.
- [13] Koenig SB. Planned descemetorhexis without endothelial keratoplasty in eyes with Fuchs corneal endothelial dystrophy. *Cornea* 2015;34(9):1149–51.
- [14] Kymionis GD, Liakopoulos DA, Gentzelos MA, et al. Mini Descemet membrane stripping (m-DMES) in patients with Fuchs’ endothelial dystrophy: a new method. *Saudi J Ophthalmol* 2017;31(4):275–9.
- [15] Moloney G, Chan UT, Hamilton A, et al. Descemetorhexis for Fuchs’ dystrophy. *Can J Ophthalmol* 2015;50(1):68–72.
- [16] Shah RD, Randleman JB, Grossniklaus HE. Spontaneous corneal clearing after Descemet’s stripping without endothelial replacement. *Ophthalmology* 2012;119(2):256–60.
- [17] Ham L, Dapena I, Moutsouris K, Melles GRJ. Persistent corneal edema after descemetorhexis without corneal graft implantation in a case of Fuchs endothelial dystrophy. *Cornea* 2011;30(2):248–9.
- [18] Bleyen I, Saelens IEY, van Dooren BTH, van Rij G. Spontaneous corneal clearing after Descemet’s stripping. *Ophthalmology* 2013;120(1):215.
- [19] Koizumi N, Okumura N, Ueno M, et al. Rho-associated kinase inhibitor eye drop treatment as a possible medical treatment for Fuchs corneal dystrophy. *Cornea* 2013;32(8):1167–70.
- [20] Baïkoff G. DMEK a minima. Paris: SAFIR; 2017.
- [21] Su DHW, Wong TY, Wong WL, et al. Diabetes, hyperglycemia, and central corneal thickness: the Singapore Malay Eye Study. *Ophthalmology* 2008;115(6):964–8. e1.
- [22] Zoega GM, Fujisawa A, Sasaki H, et al. Prevalence and risk factors for cornea guttata in the Reykjavik Eye Study. *Ophthalmology* 2006;113(4):565–9.

Injection de cellules pour le traitement de la décompensation endothéiale de la cornée

- [23] Melles GR, Eggink FA, Lander F, et al. A surgical technique for posterior lamellar keratoplasty. *Cornea* 1998;17:618–26.
- [24] Melles GR, Lander F, van Dooren BT, et al. Preliminary clinical results of posterior lamellar keratoplasty through a sclerocorneal pocket incision. In: *Ophthalmology* 2000 107: 1850-6 discussion; 1857.

- [25] Terry MA, Ousley PJ. Deep lamellar endothelial keratoplasty in the first United States patients: early clinical results. *Cornea* 2001;20:239–43.
- [26] Melles GR, Lander F, Nieuwendaal C. Sutureless, posterior lamellar keratoplasty: a case report of a modified technique. *Cornea* 2002;21:325–7.
- [27] Price Jr FW, Price MO. Descemet’s stripping with endothelial keratoplasty in 50 eyes: a refractive neutral corneal transplant. *J Refract Surg* 2005;21:339–45.
- [28] Melles GR, Ong TS, Ververs B, van der Wees J. Descemet membrane endothelial keratoplasty (DMEK). *Cornea* 2006;25:987–90.
- [29] Terry MA, Wall JM, Hoar KL, Ousley PJ. A prospective study of endothelial cell loss during the 2 years after deep lamellar endothelial keratoplasty. *Ophthalmology* 2007;114:631–9.
- [30] Price MO, Price Jr FW. Endothelial cell loss after Descemet stripping with endothelial keratoplasty influencing factors and 2-year trend. *Ophthalmology* 2008;115:857–65.
- [31] Dapena I, Ham L, Melles GR. Endothelial keratoplasty: DSEK/DSAEK or DMEK- the thinner the better ? *Curr Opin Ophthalmol* 2009;20:299–307.
- [32] Ham L, Dapena I, van Luijk C, et al. Descemet membrane endothelial keratoplasty (DMEK) for Fuchs endothelial dystrophy: review of the first 50 consecutive cases. *Eye (Lond)* 2009;23:1990–8.
- [33] Ham L, van Luijk C, Dapena I, et al. Endothelial cell density after Descemet membrane endothelial keratoplasty: 1- to 2-year follow-up. *Am J Ophthalmol* 2009;148:521–7.
- [34] Price MO, Giebel AW, Fairchild KM, Price Jr FW. Descemet’s membrane endothelial keratoplasty: prospective multicenter study of visual and refractive outcomes and endothelial survival. *Ophthalmology* 2009;116:2361–8.
- [35] Price MO, Price Jr FW. Endothelial keratoplasty - a review. *Clin Experiment Ophthalmol* 2010;38:128–40.
- [36] Dirisamer M, Ham L, Dapena I, et al. Efficacy of Descemet membrane endothelial keratoplasty: clinical outcome of 200 consecutive cases after a learning curve of 25 cases. *Arch Ophthalmol* 2011;129:1435–43.
- [37] Guerra FP, Anshu A, Price MO, et al. Descemet’s membrane endothelial keratoplasty: prospective study of 1-year visual outcomes, graft survival, and endothelial cell loss. *Ophthalmology* 2011;118:2368–73.
- [38] Price MO, Fairchild KM, Price DA, Price Jr FW. Descemet’s stripping endothelial keratoplasty five-year graft survival and endothelial cell loss. *Ophthalmology* 2011;118:725–9.
- [39] Laaser K, Bachmann BO, Horn FK, et al. Descemet membrane endothelial keratoplasty combined with phacoemulsification and intraocular lens implantation: advanced triple procedure. *Am J Ophthalmol* 2012;154:47–55 e42.
- [40] Tourtas T, Laaser K, Bachmann BO, et al. Descemet membrane endothelial keratoplasty versus descemet stripping automated endothelial keratoplasty. *Am J Ophthalmol* 2012;153:1082–90. e1082.
- [41] Veldman PB, Terry MA, Straiko MD. Evolving indications for Descemet’s stripping automated endothelial keratoplasty. *Curr Opin Ophthalmol* 2014;25:306–11.
- [42] Kruse FE, Schrehardt US, Tourtas T. Optimizing outcomes with Descemet’s membrane endothelial keratoplasty. *Curr Opin Ophthalmol* 2014;25:325–34.
- [43] Hamzaoglu EC, Straiko MD, Mayko ZM, et al. The first 100 eyes of standardized Descemet Stripping Automated Endothelial Keratoplasty versus standardized Descemet Membrane Endothelial Keratoplasty. *Ophthalmology* 2015;122:2193–9.
- [44] Gain P, Jullienne R, He Z, et al. Global survey of corneal transplantation and eye banking. *JAMA Ophthalmol* 2016;134:167–73.
- [45] Flockerzi E, Maier P, Bohringer D, et al. Trends in corneal transplantation from 2001 to 2016 in Germany: A report of the DOG-section cornea and its keratoplasty registry. *Am J Ophthalmol* 2018;188:91–8.
- [46] Tan DT, Dart JK, Holland EJ, Kinoshita S. Corneal transplantation. *Lancet* 2012;379:1749–61.
- [47] Koenig SB, Covert DJ, Dupps Jr WJ, Meisler DM. Visual acuity, refractive error, and endothelial cell density six months after Descemet stripping and automated endothelial keratoplasty (DSAEK). *Cornea* 2007;26:670–4.

- [48] Jun B, Kuo AN, Afshari NA, et al. Refractive change after Descemet stripping automated endothelial keratoplasty surgery and its correlation with graft thickness and diameter. *Cornea* 2009;28:19–23.
- [49] Ham L, Dapena I, Moutsouris K, et al. Refractive change and stability after Descemet membrane endothelial keratoplasty. Effect of corneal dehydration-induced hyperopic shift on intraocular lens power calculation. *J Cataract Refract Surg* 2011;37:1455–64.
- [50] Eye Bank Association of America. Eye Banking Statistical Report. Washington: DC; 2018.
- [51] Brockmann T, Brockmann C, Maier AK, et al. Clinicopathology of graft detachment after Descemet's membrane endothelial keratoplasty. *Acta Ophthalmol* 2014;92:e556–61.
- [52] Brockmann T, Brockmann C, Maier AK, et al. Descemet Membrane Endothelial Keratoplasty for graft failure after Descemet Stripping Endothelial Keratoplasty: Clinical results and histopathologic findings. *JAMA Ophthalmol* 2015;133:813–9.
- [53] Deng SX, Lee WB, Hammersmith KM, et al. Descemet Membrane Endothelial Keratoplasty: safety and outcomes: A report by the American Academy of Ophthalmology. *Ophthalmology* 2018;125:295–310.
- [54] Brockmann T, Pilger D, Brockmann C, et al. Predictive factors for clinical outcomes after primary Descemet's Membrane Endothelial Keratoplasty for Fuchs' endothelial dystrophy. *Curr Eye Res* 2019;44:147–53.
- [55] Mimura T, Shimomura N, Usui T, et al. Magnetic attraction of iron-endocytosed corneal endothelial cells to Descemet's membrane. *Exp Eye Res* 2003;76:745–51.
- [56] Mimura T, Yamagami S, Usui T, et al. Long-term outcome of iron-endocytosing cultured corneal endothelial cell transplantation with magnetic attraction. *Exp Eye Res* 2005;80:149–57.
- [57] Patel SV, Bachman LA, Hann CR, et al. Human corneal endothelial cell transplantation in a human ex vivo model. *Invest Ophthalmol Vis Sci* 2009;50:2123–31.
- [58] Moysidis SN, Alvarez-Delfin K, Peschansky VJ, et al. Magnetic field-guided cell delivery with nanoparticle-loaded human corneal endothelial cells. *Nanomedicine* 2015;11:499–509.
- [59] Xia X, Atkins M, Dalal R, et al. Magnetic human corneal endothelial cell transplant: Delivery, retention, and short-term efficacy. *Invest Ophthalmol Vis Sci* 2019;60:2438–48.
- [60] Mimura T, Yamagami S, Yokoo S, et al. Sphere therapy for corneal endothelium deficiency in a rabbit model. *Invest Ophthalmol Vis Sci* 2005;46:3128–35.
- [61] Mimura T, Yokoo S, Araie M, et al. Treatment of rabbit bullous keratopathy with precursors derived from cultured human corneal endothelium. *Invest Ophthalmol Vis Sci* 2005;46:3637–44.
- [62] Mimura T, Yamagami S, Usui T, et al. Necessary prone position time for human corneal endothelial precursor transplantation in a rabbit endothelial deficiency model. *Curr Eye Res* 2007;32:617–23.
- [63] Yokoo S, Yamagami S, Yanagi Y, et al. Human corneal endothelial cell precursors isolated by sphere-forming assay. *Invest Ophthalmol Vis Sci* 2005;46:1626–31.
- [64] Amano S, Yamagami S, Mimura T, et al. Corneal stromal and endothelial cell precursors. *Cornea* 2006;25:S73–7.
- [65] Yamagami S, Yokoo S, Mimura T, et al. Distribution of precursors in human corneal stromal cells and endothelial cells. *Ophthalmology* 2007;114:433–9.
- [66] Okumura N, Koizumi N, Ueno M, et al. ROCK inhibitor converts corneal endothelial cells into a phenotype capable of regenerating in vivo endothelial tissue. *Am J Pathol* 2012;181:268–77.
- [67] Okumura N, Sakamoto Y, Fujii K, et al. Rho kinase inhibitor enables cell-based therapy for corneal endothelial dysfunction. *Sci Rep* 2016;6, 26113.
- [68] Okumura N, Ueno M, Koizumi N, et al. Enhancement on primate corneal endothelial cell survival in vitro by a ROCK inhibitor. *Invest Ophthalmol Vis Sci* 2009;50:3680–7.
- [69] Okumura N, Nakano S, Kay EP, et al. Involvement of cyclin D and p27 in cell proliferation mediated by ROCK inhibitors Y-27632 and Y-39983 during corneal endothelium wound healing. *Invest Ophthalmol Vis Sci* 2014;55:318–29.
- [70] Okumura N, Fujii K, Kagami T, et al. Activation of the Rho/Rho Kinase signaling pathway is involved in cell death of corneal endothelium. *Invest Ophthalmol Vis Sci* 2016;57:6843–51.
- [71] Kinoshita S, Koizumi N, Ueno M, et al. Injection of cultured cells with a ROCK inhibitor for bullous keratopathy. *N Engl J Med* 2018;378:995–1003.
- [72] Numa K, Tanaka H, Ueno M, et al. Four-year follow-up after injection of cultured corneal endothelial cells with a ROCK inhibitor for bullous keratopathy. *American Academy of Ophthalmology Annual Meeting* 2019, San Francisco, CA: Oct 2019;12–5.
- Greffons endothéliaux bio-ingénierés**
- [73] Melles GR, San Ong T, Ververs B, et al. Descemet membrane endothelial keratoplasty (DMEK). *Cornea* 2006;25(8):987–90.
- [74] Kinoshita S, Koizumi N, Ueno M, et al. Injection of cultured cells with a ROCK inhibitor for bullous keratopathy. *N Engl J Med* 2018;378(11):995–1003.
- [75] Okumura N, Matsumoto D, Fukui Y, et al. Feasibility of cell-based therapy combined with descemetorhexis for treating Fuchs endothelial corneal dystrophy in rabbit model. *PLoS One* 2018;13(1).
- [76] Arnalich-Montiel F. Treatment of corneal endothelial damage in a rabbit model with a bioengineered graft using human decellularized corneal lamina and cultured human corneal endothelium. *PLoS One* 2019;14(11).
- [77] Choi JS, Williams JK, Greven M, et al. Bioengineering endothelialized neo-corneas using donor-derived corneal endothelial cells and decellularized corneal stroma. *Biomaterials* 2010;31(26):6738–45.
- [78] He Z, Bernard A. Cutting and decellularization of multiple corneal stromal lamellae for the bioengineering of endothelial grafts. *Invest Ophthalmol Vis Sci* 2016;57:6639–51.
- [79] Peh GSL, Ang HP, Lwin CN, et al. Regulatory compliant tissue-engineered human corneal endothelial grafts restore corneal function of rabbits with bullous keratopathy. *Sci Rep* 2017;7(1), 14149.
- [80] Parekh M, Van den Bogerd B, Zakaria N, et al. Fish scale-derived scaffolds for culturing human corneal endothelial cells. *Stem Cells Int* 2018;2018:1–11.
- [81] Arnalich-Montiel F, Moratilla A, Fuentes-Julain S, et al. Treatment of corneal endothelial damage in a rabbit model with a bioengineered graft using human decellularized corneal lamina and cultured human corneal endothelium. *Plos One* 2019;14(11), e0225480.
- [82] Ishino Y, Sano Y, Nakamura T, et al. Amniotic membrane as a carrier for cultivated human corneal endothelial cell transplantation. *Invest Ophthalmol Vis Sci* 2004;45(3):800.
- [83] Kopsachilis N, Tsinopoulos I, Tourtas T, et al. Descemet's membrane substrate from human donor lens anterior capsule. *Clin Exp Ophthalmol* 2012;40(2):187–94.
- [84] Van den Bogerd B, Ní Dhubhghaill S, Zakaria N. Characterizing human decellularized crystalline lens capsules as a scaffold for corneal endothelial tissue engineering. *J Tissue Eng Regen Med* 2018;12(4):e2020–8.
- [85] Spinazzi D, Miron A, Bruinsma M, et al. Evaluation of the suitability of biocompatible carriers as artificial transplants using cultured porcine corneal endothelial cells. *Current Eye Research* 2018;44(3):243–9.
- [86] Mimura T, Yamagami S, Yokoo S, et al. Cultured human corneal endothelial cell transplantation with a collagen sheet in a rabbit model. *Invest Ophthalmol Vis Sci* 2004;45(9):2992–7.
- [87] Ide T, Nishida K, Yamato Y, et al. Structural characterization of bioengineered human corneal endothelial cell sheets fabricated on temperature-responsive culture dishes. *Biomaterials* 2006;27(4):607–14.
- [88] Hsue GH, Lai JY, Chen KH, et al. A novel strategy for corneal endothelial reconstruction with a bioengineered cell sheet. *Transplantation* 2006;81(3):473–6.
- [89] Lai JY, Chen KH, Hsue GH. Tissue-engineered human corneal endothelial cell sheet transplantation in a rabbit model using functional biomaterials. *Transplantation* 2007;84(10):1222–32.
- [90] Madden PW. Human corneal endothelial cell growth on a silk fibroin membrane. *Biomaterials* 2011;32(17):4076–84.
- [91] Watanabe R, Hayashi R, Kimura Y, et al. A novel gelatin hydrogel carrier sheet for corneal endothelial transplantation. *Tissue Eng Part A* 2011;17(17–18):2213–9.
- [92] Levis HJ, Peh GS, Toh KP, et al. Plastic compressed collagen as a novel carrier for expanded human corneal endothelial cells for transplantation. *PLoS One* 2012;7(11).

- [93] Teichmann J, et al. Human corneal endothelial cell sheets for transplantation: thermo-responsive cell culture carriers to meet cell-specific requirements. *Acta Biomater* 2013;9(2):5031–9.
- [94] Kimoto M, Shima N, Yamaguchi M, et al. Development of a bioengineered corneal endothelial cell sheet to fit the corneal curvature. *Invest Ophthalmol Vis Sci* 2014;55:2337–43.
- [95] Yoshida J, Oshikata-Miyazaki A, Yokoo S, et al. Development and evaluation of porcine atelocollagen vitrigel membrane with a spherical curve and transplantable artificial corneal endothelial grafts. *Invest Ophthalmol Vis Sci* 2014;55(8):4975–81.
- [96] Yoshida J, Yokoo S, Oshikata-Miyazaki A, et al. Transplantation of human corneal endothelial cells cultured on bio-engineered collagen vitrigel in a rabbit model of corneal endothelial dysfunction. *Curr Eye Res* 2017;42(11):1420–5.
- [97] Kim EY, Tripathy N, Cho SA, et al. Bioengineered neo-corneal endothelium using collagen type-I coated silk fibroin film. *Colloids Surf B Biointerfaces* 2015;136:394–401.
- [98] Kim DK, Sim BR, Kim JI, et al. Functionalized silk fibroin film scaffold using beta-carotene for cornea endothelial cell regeneration. *Colloids Surf B Biointerfaces* 2018;164:340–6.
- [99] Vázquez NN, Chacon M, Rodríguez-Barrientos CA, et al. Human bone derived collagen for the development of an artificial corneal endothelial graft. In vivo results in a rabbit model. *Plos One* 2016;11(12).
- [100] Bourget JM, Proulx S. Characterization of a corneal endothelium engineered on a self-assembled stromal substitute. *Exp Eye Res* 2016;145:125–9.
- [101] Kim DK, Sim BR, Khang G. Nature-derived aloe vera gel blended silk fibroin film scaffolds for cornea endothelial cell regeneration and transplantation. *ACS Appl Mater Interfaces* 2016;8(24):15160–8.
- [102] Palchesko RN, Funderburgh JL, Feinberg AW. Engineered basement membranes for regenerating the corneal endothelium. *Adv Healthc Mater* 2016;5(22):2942–50.
- [103] Chen J, Yan C, Zhu M, et al. Electrospun nanofibrous SF/P(LLA-CL) membrane: a potential substratum for endothelial keratoplasty. *Int J Nanomedicine* 2015;10:3337–50.
- [104] Vazquez N, Rodriguez-Barrientos CA, Aznar-Cervantes SD, et al. Silk fibroin films for corneal endothelial regeneration: transplant in a rabbit Descemet membrane endothelial keratoplasty. *Invest Ophthalmol Vis Sci* 2017;58:3357–65.
- [105] Choi J, Jeon H, Song JE, et al. Biofunctionalized lysophosphatidic acid/silk fibroin film for cornea endothelial cell regeneration. *Nanomaterials* 2018;8(5):290.
- [106] Aghaei-Ghareh-Bolagh B, Guan J, Wang Y, et al. Optically robust, highly permeable and elastic protein films that support dual cornea cell types. *Biomaterials* 2019;188:50–62.
- [107] Liang Y, Liu W, Han B, et al. An in situ formed biodegradable hydrogel for reconstruction of the corneal endothelium. *Colloids Surf B Biointerfaces* 2011;82(1):1–7.
- [108] Wang TJ, Wang JJ, Lu JN, et al. Novel chitosanpolycaprolactone blends as potential scaffold and carrier for corneal endothelial transplantation. *Mol Vis* 2012;18:255–64.
- [109] Wang YH, Young TH, Wang TJ. Investigating the effect of chitosan/polycaprolactone blends in differentiation of corneal endothelial cells and extracellular matrix compositions. *Exp Eye Res* 2019;185:1076–9.
- [110] Ozcelik B, Brown KD, Blencowe A, et al. Biodegradable and biocompatible poly(ethylene glycol)-based hydrogel films for the regeneration of corneal endothelium. *Adv Healthc Mater* 2014;3(9):1496–507.
- [111] Salehi S, Grünert AK, Bahners T, et al. New nanofibrous scaffold for corneal tissue engineering. *Klin Monbl Augenheilkd* 2014;231(6):626–30.
- [112] Young TH, Wang JJ, Hu FR, et al. Fabrication of a bioengineered corneal endothelial cell sheet using chitosan/polycaprolactone blend membranes. *Colloids Surf B Biointerfaces* 2014;116:403–10.
- [113] Lai JY, Cheng HY, Ma DH. Investigation of overrun-processed porous hyaluronic acid carriers in corneal endothelial tissue engineering. *PLoS One* 2015;10(8).
- [114] Kruse M, Walter P, Bauer B, et al. Electro-spun membranes as scaffolds for human corneal endothelial cells. *Curr Eye Res* 2017;43(1):1–11.
- [115] Rizwan M, Peh GSL, Ang HP, et al. Sequentially-crosslinked bioactive hydrogels as nano-patterned substrates with customizable stiffness and degradation for corneal tissue engineering applications. *Biomaterials* 2017;120:139–54.
- [116] Song JE, Sim BR, Jeon YS, et al. Characterization of surface modified glycerol/silk fibroin film for application to corneal endothelial cell regeneration. *J Biomater Sci Polym Ed* 2019;30(4):263–75.

Application d'inhibiteur de la Rho-kinase en collyre pour la régénération de l'endothélium cornéen

- [117] Tan DT, Dart JK, Holland EJ, Kinoshita S. Corneal transplantation. *Lancet* 2012;379:1749–61.
- [118] Riento K, Ridley AJ. Rocks: multifunctional kinases in cell behaviour. *Nat Rev Mol Cell Biol* 2003;4:446–56.
- [119] Olson MF. Applications for ROCK kinase inhibition. *Curr Opin Cell Biol* 2008;20:242–8.
- [120] Feng Y, LoGrasso PV, Defert O, Li R. Rho kinase (ROCK) inhibitors and their therapeutic potential. *J Med Chem* 2016;59:2269–300.
- [121] Garnock-Jones KP. Ripasudil: first global approval. *Drugs* 2014;74:2211–5.
- [122] Lin CW, Sherman B, Moore LA, et al. Discovery and preclinical development of netarsudil, a novel ocular hypotensive agent for the treatment of glaucoma. *J Ocul Pharmacol Ther* 2018;34:40–51.
- [123] Okumura N, Ueno M, Koizumi N, et al. Enhancement on primate corneal endothelial cell survival in vitro by a ROCK inhibitor. *Invest Ophthalmol Vis Sci* 2009;50:3680–7.
- [124] Okumura N, Nakano S, Kay EP, et al. Involvement of cyclin D and p27 in cell proliferation mediated by ROCK inhibitors Y-27632 and Y-39983 during corneal endothelium wound healing. *Invest Ophthalmol Vis Sci* 2014;55:318–29.
- [125] Okumura N, Koizumi N, Ueno M, et al. Enhancement of corneal endothelium wound healing by Rho-associated kinase (ROCK) inhibitor eye drops. *Br J Ophthalmol* 2011;95:1006–9.
- [126] Okumura N, Koizumi N, Kay EP, et al. The ROCK inhibitor eye drop accelerates corneal endothelium wound healing. *Invest Ophthalmol Vis Sci* 2013;54:2493–502.
- [127] Koizumi N, Okumura N, Ueno M, et al. Rho-associated kinase inhibitor eye drop treatment as a possible medical treatment for Fuchs corneal dystrophy. *Cornea* 2013;32:1167–70.
- [128] Moloney G, Petsoglou C, Ball M, et al. Descemetorhexis without grafting for Fuchs endothelial dystrophy-supplementation with topical ripasudil. *Cornea* 2017;36:642–8.
- [129] Macsai MS, Shiloach M. Use of topical rho kinase inhibitors in the treatment of Fuchs dystrophy after Descemet stripping only. *Cornea* 2019;38:529–34.
- [130] Okumura N, Inoue R, Okazaki Y, et al. Effect of the rho kinase inhibitor Y-27632 on corneal endothelial wound healing. *Invest Ophthalmol Vis Sci* 2015;56:6067–74.
- [131] Okumura N, Okazaki Y, Inoue R, et al. Effect of the rho-associated kinase inhibitor eye drop (ripasudil) on corneal endothelial wound healing. *Invest Ophthalmol Vis Sci* 2016;57:1284–92.