

## BIBLIOGRAPHIE

- [1] Hedbys BO, Mishima S, Maurice DM. The inhibition pressure of the corneal stroma. *Exp Eye Res* 1963;2:99–111.
- [2] Bryant MR, McDonnell PJ. A triphasic analysis of corneal swelling and hydration control. *J Biomech Eng* 1998;120:370–81.
- [3] Garcin T, Gauthier AS, Crouzet E, et al. Three-month storage of human corneas in an active storage machine. *Transplantation* 2020;104:1159–65.
- [4] Garcin T, Gauthier AS, Crouzet E, et al. Innovative corneal active storage machine for long-term eye banking. *Am J Transplant* 2019;19:1641–51.
- [5] Guindolet D, Crouzet E, He Z, et al. Epithelial regeneration in human corneas preserved in an active storage machine. *Trans Vis Sci Technol* 2020. in press.
- [6] Guindolet D, Crouzet E, He Z, et al. Storage of porcine cornea in an innovative bioreactor. *Invest Ophthalmol Vis Sci* 2017;58:5907–17.
- [7] Brunette I, Nelson LR, Bourne WM. A system for long-term corneal perfusion. *Invest Ophthalmol Vis Sci* 1989;30:1813–22.
- [8] Schrage N, Frenzt M, Spoeler F. The Ex Vivo Eye Irritation Test (EVEIT) in evaluation of artificial tears: Purite-preserved versus unpreserved eye drops. *Graefes Arch Clin Exp Ophthalmol* 2012;250:1333–40.
- [9] Thiel MA, Morlet N, Schulz D, et al. A simple corneal perfusion chamber for drug penetration and toxicity studies. *Br J Ophthalmol* 2001;85:450–3.
- [10] Elbadawy HM, Salvalaio G, Parekh M, et al. A superfusion apparatus for ex vivo human eye irritation investigations. *Toxicol In Vitro* 2015;29:1619–27.
- [11] Brubaker RF. Flow of aqueous humor in humans. The Friedenwald Lecture. *Invest Ophthalmol Vis Sci* 1991;32:3145–66.
- [12] Richard NR, Anderson JA, Weiss JL, Binder PS. Air/liquid corneal organ culture: a light microscopic study. *Curr Eye Res* 1991;10:739–49.