Bibliographie

[1] Müller LJ, Pels E, Vrensen GF. The specific architecture of the anterior stroma accounts for maintenance of corneal curvature. Br J Ophthalmology 2001;85(4):437–43.
[2] Winkler M, Chai D, Kriling S, et al. Nonlinear optical macroscopic assessment of 3-D corneal collagen organization and axial biomechanics. Invest Ophthalmol Vis Sci 2011;52(12):8818–27.
[3] Abahussin M, Hayes S, Knox Cartwright NE, et al. 3D collagen orientation study of the human cornea using X-ray diffraction and femtosecond laser technology. Invest Ophthalmol Vis Sci 2009;50(11):5159–64.
[4] Reinstein DZ, Gobbe M, Archer TJ, et al. (2010). Epithelial, stromal, and total corneal thickness in keratoconus : three-dimensional display with artemis very-high frequency digital ultrasound. J Refract Surg (Thorofare, N.J. : 1995) ; 26(4) : 259-71.
[5] Touboul D, Efron N, Smadja D, et al. Corneal confocal microscopy following conventional, transepithelial, and accelerated corneal collagen cross-linking procedures for keratoconus. J Refract Surg 2012;28(11):769–76.
[6] Scarcelli G, Kling S, Quijano E, et al. Brillouin microscopy of collagen crosslinking : noncontact depth-dependent analysis of corneal elastic modulus. Invest Ophthalmol Vis Sci 2013;54(2):1418–25.
[7] Kling S, Marcos S. Finite-element modeling of intrastromal ring segment implantation into a hyperelastic cornea. Invest Ophthalmol Vis Sci 2013;54(1):881–9.
[8] Kling S, Remon L, Pérez-Escudero A, et al. Corneal biomechanical changes after collagen cross-linking from porcine eye inflation experiments. I Invest Ophthalmol Vis Sci 2010;51(8):3961–8.
[9] Elsheikh A, Anderson K. Comparative study of corneal strip extensometry and inflation tests. J Royal Society 2005;2(3):177–85.
[10] Luce DA. Determining in vivo biomechanical properties of the cornea with an ocular response analyzer. J Cataract Refract Surg 2005;31:156–62.
[11] Touboul D, Bénard A, Mahmoud AM, et al. Early biomechanical keratoconus pattern measured with an ocular response analyzer : curve analysis. J Cataract Refract Surg 2011;37(12):2144–50.
[12] Terai N, Raiskup F, Haustein M, et al. Identification of biomechanical properties of the cornea : the ocular response analyzer. Current Eye Res 2012;37(7):553–62.
[13] Salouti R, Bagheri M, Shamsi A, Zamani M. Corneal parameters in healthy subjects assessed by Corvis ST. J Ophthalmic Vis Res 2020;15(1):24–31.
[14] Ford MR, Dupps WJ, Rollins AM, et al. Method for optical coherence elastography of the cornea. J Biomed Optics 2011;16(1), 016005.
[15] Schmitt J. OCT elastography : imaging microscopic deformation and strain of tissue. Optics Express 1998;3(6):199–211.
[16] Sandrin L, Tanter M, Catheline S, Fink M. Shear modulus imaging with 2-D transient elastography. IEEE Trans Ultrason Ferroelectr Frequ Control 2002;49(4):426–35.
[17] Dupps WJ Jr, Netto MV, Herekar S, Krueger RR. Surface wave elastometry of the cornea in porcine and human donor eyes. J Refract Surg 2007 ; 23(1) : 66-75.1893.
[18] Brum J, Gennisson L, Nguyen TM, et al. Application of 1-D transient elastography for the shear modulus assessment of thin-layered soft tissue : comparison with Supersonic Shear Imaging technique. EEE Trans Ultrason Ferroelectr Frequ Control 2012;59(4):703–14.
[19] Tanter M, Touboul D, Gennisson JL, et al. High-resolution quantitative imaging of cornea elasticity using supersonic shear imaging. IEEE Trans Med Imaging 2009;28(12):1881.