Bibliographie

[1] Patterson K, Chong JX, Chung DD, et al. Lisch epithelial corneal dystrophy is caused by heterozygous loss-of-function variants in MCOLN1. Am J Ophthalmol 2024;258:183-95.
[2] Lisch W, Weiss JS. Clinical and genetic update of corneal dystrophies. Exp Eye Res 2019;186, 107715.
[3] Brown N, Bron A. Recurrent erosion of the cornea. Br J Ophthalmol 1976;60(2):84–96.
[4] Finis D, Stammen J, Lisch W, Geerling G. Epithelial dystrophies of the cornea. Klin Monatsblätter Für Augenheilkd 2019;236(3):e23–36.
[5] Siebelmann S, Scholz P, Sonnenschein S, et al. Anterior segment optical coherence tomography for the diagnosis of corneal dystrophies according to the IC3D classification. Surv Ophthalmol 2018;63(3):365–80.
[6] Buffault J, Zéboulon P, Liang H, et al. Assessment of corneal epithelial thickness mapping in epithelial basement membrane dystrophy. PloS One 2020;15(11), e0239124.
[7] Mulders-Al-Saady R, van der Star L, van Dijk K, et al. Bowman layer onlay graft for recurrent corneal erosions in map-dot-fingerprint dystrophy. Cornea 2022;41(8):1062–3.
[8] Javadi MA, Rezaei-Kanavi M, Javadi A, Naghshgar N. Meesmann corneal dystrophy ; a clinico-pathologic, ultrastructural and confocal scan report. J Ophthalmic Vis Res 2010;5(2):122–6.
[9] Kurbanyan K, Sejpal KD, Aldave AJ, Deng SX. In vivo confocal microscopic findings in Lisch corneal dystrophy. Cornea 2012;31(4):437–41.
[10] Soh YQ, Kocaba V, Weiss JS, et al. Corneal dystrophies. Nat Rev Dis Primer 2020;6(1):46.
[11] Rousseau A, Labbé A, Baudouin C, et al. In vivo confocal microscopy and spectral domain anterior segment OCT in Lisch epithelial corneal dystrophy. J Fr Ophtalmol 2015;38(7):e151–3.
[12] Mulders-Al-Saady R, van der Star L, van Dijk K, et al. Bowman layer onlay graft for recurrent corneal erosions in map-dot-fingerprint dystrophy. Cornea 2022;41(8):1062–3.
[13] Grau AE, González S, Zoroquiain P, et al. Evidence of autophagic vesicles in a patient with Lisch corneal dystrophy. Arq Bras Oftalmol 2020;83(2):146–8.
[14] Iscar C, Jany B, Benarous A, Milazzo S. Dystrophie de Lisch : un astigmatisme qui rend flou. J Fr Ophtalmol 2017;40(10):e391–5.
[15] Cano-Ortiz A, Sánchez-Ventosa Á, González Cruces T, et al. Lisch corneal dystrophy : Autologous limbal transplantation as definitive treatment. J Fr Ophtalmol 2023;46(3):e91–2.
[16] Celis Sánchez J, Mesa Varona DV, Avendaño Cantos E, et al. Keratolimbal autograft transplantation as a possible new treatment of Lisch epithelial corneal dystrophy. Arch Soc Esp Oftalmol Engl Ed 2016;91(7):333–6.
[17] Amer MM, Arze K, Galor A, et al. Recurrent Lisch epithelial corneal dystrophy treated with 5-fluorouracil : a case report and review of the literature. Cornea 2023;42(5):645–7.
[18] Hammar B, Björck E, Lagerstedt K, et al. A new corneal disease with recurrent erosive episodes and autosomal-dominant inheritance. Acta Ophthalmol (Copenh) 2008;86(7):758–63.
[19] Hammar B, Björck E, Lind H, et al. Dystrophia Helsinglandica : a new type of hereditary corneal recurrent erosions with late subepithelial fibrosis. Acta Ophthalmol (Copenh) 2009;87(6):659–65.
[20] Jonsson F, Byström B, Davidson AE, et al. Mutations in collagen, type XVII, alpha 1 (COL17A1) cause epithelial recurrent erosion dystrophy (ERED). Hum Mutat 2015;36(4):463–73.
[21] Vahedi F, Chung DD, Gee KM, et al. Epithelial recurrent erosion dystrophy secondary to the COL17A1 c.3156C>T mutation in a non-Caucasian family. Cornea 2018;37(7):909–11.
[22] Ide T, Nishida K, Maeda N, et al. A spectrum of clinical manifestations of gelatinous drop-like corneal dystrophy in japan. Am J Ophthalmol 2004;137(6):1081–4.
[23] Kaza H, Barik MR, Reddy MM, et al. Gelatinous drop-like corneal dystrophy : a review. Br J Ophthalmol 2017;101(1):10–5.
[24] Tsujikawa M. Road to a genetic model of gelatinous drop-like corneal dystrophy. Cornea 2018;37(Suppl 1):S91–3.
[25] Lekhanont K, Jongkhajornpong P, Chuephanich P, et al. Boston type 1 keratoprosthesis for gelatinous drop-like corneal dystrophy. Optom Vis Sci Off Publ Am Acad Optom 2016;93(6):640–6.
[26] Shimazaki J, Hida T, Inoue M, et al. Long-term follow-up of patients with familial subepithelial amyloidosis of the cornea. Ophthalmology 1995;102(1):139–44.
[27] Maeno S, Soma T, Tsujikawa M, et al. Efficacy of therapeutic soft contact lens in the management of gelatinous drop-like corneal dystrophy. Br J Ophthalmol 2020;104(2):241–6.
[28] Fadlallah A, Jakobiec FA, Mendoza PR, et al. Boston type I keratoprosthesis for treatment of gelatinous drop-like corneal dystrophy after repeated graft failure. Semin Ophthalmol 2015;30(2):150–3.
[29] Feder RS, Jay M, Yue BY, et al. Subepithelial mucinous corneal dystrophy. Clinical and pathological correlations. Arch Ophthalmol Chic Ill 1960 1993;111(8):1106–14.