Bibliographie

[1] Sridhar MS, Mahesh S, Bansal AK, et al. Pellucid marginal corneal degeneration. Ophthalmology 2004;111(6):1102–7.
[2] Thakkar VM. Corneal topography image of bilateral superior pellucid marginal degeneration. Eye Lond Engl 2024;38(Suppl 2):98.
[3] Bower KS, Dhaliwal DK, Barnhorst DA, Warnicke J. Pellucid marginal degeneration with superior corneal thinning. Cornea 1997;16(4):483–5.
[4] Wagenhorst BB. Unilateral pellucid marginal degeneration in an elderly patient. Br J Ophthalmol 1996;80(10):927–8.
[5] Basak SK, Hazra TK, Bhattacharya D, Sinha TK. Unilateral pellucid marginal degeneration. Indian J Ophthalmol 2000;48(3):233.
[6] Rodrigues MM, Newsome DA, Krachmer JH, Eiferman RA. Pellucid marginal corneal degeneration : a clinicopathologic study of two cases. Exp Eye Res 1981;33(3):277–88.
[7] Maguire LJ, Klyce SD, McDonald MB, Kaufman HE. Corneal topography of pellucid marginal degeneration. Ophthalmology 1987;94(5):519–24.
[8] Santo RM, Bechara SJ, Kara-José N. Corneal topography in asymptomatic family members of a patient with pellucid marginal degeneration. Am J Ophthalmol 1999;127(2):205–7.
[9] Schlaeppi V. La dystrophie marginale inférieur pellucide de la cornée. Probl Actuels Ophthalmol 1957;1:672–7.
[10] Lucarelli MJ, Gendelman DS, Talamo JH. Hydrops and spontaneous perforation in pellucid marginal corneal degeneration. Cornea 1997;16(2):232–4.
[11] Varley GA, Macsai MS, Krachmer JH. The results of penetrating keratoplasty for pellucid marginal corneal degeneration. Am J Ophthalmol 1990;110(2):149–52.
[12] Speaker MG, Arentsen JJ, Laibson PR. Long-term survival of large diameter penetrating keratoplasties for keratoconus and pellucid marginal degeneration. Acta Ophthalmol Suppl 1989;192:17–9.
[13] Al-Torbak A. Deep anterior lamellar keratoplasty for pellucid marginal degeneration. Saudi J Ophthalmol 2013;27:11–4.
[14] Guindolet D, Petrovic A, Doan S, et al. Sclerocorneal intrastromal lamellar keratoplasty for pellucid marginal degeneration. Cornea 2016;35(6):900–3.
[15] Irajpour M, Noorshargh P, Peyman A. Corneal cross-linking in pellucid marginal degeneration : evaluation after five years. J Curr Ophthalmol 2022;34(2):229–33.
[16] Hashemian SJ, Abdolalizadeh P, Ghiasian L, et al. Outcomes of a single-segment intrastromal corneal ring in early keratoconus and early pellucid marginal degeneration. Int Ophthalmol 2022;42(10):2987–96.
[17] MacLean H, Robinson LP, Wechsler AW. Long-term results of corneal wedge excision for pellucid marginal degeneration. Eye Lond Engl 1997;11(Pt 5):613–7.
[18] Michael T, Ioannis G, Ferdinardo M, Ioannis A. Endothelium sparing - Air-assisted wedge resection for the treatment of pellucid marginal degeneration. Indian J Ophthalmol 2024;72(Suppl 2):S314–8.
[19] Ambrósio R, Wilson SE. Early pellucid marginal corneal degeneration : case reports of two refractive surgery candidates. Cornea 2002;21(1):114–7.
[20] Omar Yousif M, Elkitkat RS, Hamza MN, Abdelsadek Alaarag N. Application of a revised tissue saving protocol for combined topography-guided photorefractive keratectomy and cross-linking in a cohort having pellucid marginal degeneration. Clin Ophthalmol Auckl NZ 2024;18:303–11.