Bibliographie

53.1. Remodelages post-chirurgie réfractive

[1] Kim TI, Alió Del Barrio JL, Wilkins M, et al. Refractive surgery. Lancet 2019;393(10185):2085–98.
[2] Puliafito CA, Stern D, Krueger RR, Mandel ER. High-speed photography of excimer laser ablation of the cornea. Arch Ophthalmol 1987;105(9):1255–9.
[3] Alasbali T. Transepithelial photorefractive keratectomy compared to conventional photorefractive keratectomy : a meta-analysis. J Ophthalmol 2022;2022:3022672.
[4] Spiru B, Kling S, Hafezi F, Sekundo W. Biomechanical properties of human cornea tested by two-dimensional extensiometry ex vivo in fellow eyes : femtosecond laser-assisted LASIK versus SMILE. J Refract Surg 2018;34(6):419–23.
[5] Brar S, Roopashree CR, Ganesh S. Incidence of ectasia after SMILE from a high-volume refractive surgery center in India. J Refract Surg 2021;37(12):800–8.
[6] Jacob S, Ashok Kumar D, Agarwal A, et al. Preliminary evidence of successful near vision enhancement with a new technique : PrEsbyopic allogenic refractive lenticule (PEARL) corneal inlay using a SMILE lenticule. J Refract Surg 2017;33(4):224–9.
[7] Chiang B, Valerio GS, Manche EE. Prospective, randomized contralateral eye comparison of wavefront-guided laser in situ keratomileusis and small incision lenticule extraction refractive surgeries. Am J Ophthalmol 2022;237:211–20.
[8] Fernández J, Molina-Martín A, Rocha-de-Lossada C, et al. Clinical outcomes of presbyopia correction with the latest techniques of presbyLASIK : a systematic review. Eye (Lond) 2023;37(4):587–96.
[9] Jiang X, Wang Y, Yuan H, et al. Influences of SMILE and FS-LASIK on corneal sub-basal nerves : a systematic review and network meta-analysis. J Refract Surg 2022;38(4):277–84.
[10] Moshirfar M, Gardiner JP, Schliesser JA, et al. Laser in situ keratomileusis flap complications using mechanical microkeratome versus femtosecond laser : retrospective comparison. J Cataract Refract Surg 2010;36(11):1925–33.

53.2.Déformations post-chirurgie réfractive – Ectasies post-laser

[11] Moshirfar M, Tukan AN, Bundogji N, et al. Ectasia after corneal refractive surgery : a systematic review. Ophthalmol Ther 2021;10(4):753–76.
[12] Sahay P, Bafna RK, Reddy JC, et al. Complications of laser-assisted in situ keratomileusis. Indian J Ophthalmol 2021;69(7):1658–69.
[13] Moshirfar M, Albarracin JC, Desautels JD, et al. Ectasia following small-incision lenticule extraction (SMILE) : a review of the literature. Clin Ophthalmol 2017;11:1683–8.
[14] Bohac M, Koncarevic M, Pasalic A, et al. Incidence and clinical characteristics of post-LASIK ectasia : a review of over 30,000 LASIK cases. Semin Ophthalmol 2018;33(7-8):869–77.
[15] Kamiya K, Shimizu K, Ohmoto F. Comparison of the changes in corneal biomechanical properties after photorefractive keratectomy and laser in situ keratomileusis. Cornea 2009;28(7):765–9.
[16] Hamilton DR, Johnson RD, Lee N, Bourla N. Differences in the corneal biomechanical effects of surface ablation compared with laser in situ keratomileusis using a microkeratome or femtosecond laser. J Cataract Refract Surg 2008;34(12):2049–56.
[17] Pniakowska Z, Jurowski P, Wierzbowska J. Clinical evaluation of corneal biomechanics following laser refractive surgery in myopic eyes : a review of the literature. J Clin Med 2022;12(1):243.
[18] Hashemi H, Roberts CJ, Elsheikh A, et al. Corneal biomechanics after SMILE, femtosecond-assisted LASIK, and photorefractive keratectomy : a matched comparison study. Transl Vis Sci Technol 2023;12(3):12.
[19] Giri P, Azar DT. Risk profiles of ectasia after keratorefractive surgery. Curr Opin Ophthalmol 2017;28(4):337–42.
[20] Roberts CJ, Dupps WJ. Biomechanics of corneal ectasia and biomechanical treatments. J Cataract Refract Surg 2014;40(6):991–8.
[21] Taneja M, Vadavalli PK, Veerwal V, et al. Pregnancy-induced keractesia – A case series with a review of the literature. Indian J Ophthalmol 2020;68(12):3077–81.
[22] McMonnies CW. Mechanisms of rubbing-related corneal trauma in keratoconus. Cornea 2009;28(6):607–15.
[23] Ambrósio R. Post-LASIK ectasia : twenty years of a conundrum. Semin Ophthalmol 2019;34(2):66–8.
[24] Chan C, Saad A, Randleman JB, et al. Analysis of cases and accuracy of 3 risk scoring systems in predicting ectasia after laser in situ keratomileusis. J Cataract Refract Surg 2018;44(8):979–92.
[25] Hashemi H, Heydarian S, Hooshmand E, et al. The prevalence and risk factors for keratoconus : a systematic review and meta-analysis. Cornea 2020;39(2):263–70.
[26] Torres-Netto EA, Abdshahzadeh H, Abrishamchi R, et al. The impact of repetitive and prolonged eye rubbing on corneal biomechanics. J Refract Surg Thorofare NJ 1995;38(9):610–6. 2022.
[27] Zhao L, Yin Y, Hu T, et al. Comprehensive management of post-LASIK ectasia : From prevention to treatment. Acta Ophthalmol (Copenh) 2023;101(5):485–503.
[28] Doctor K, Vunnava KP, Shroff R, et al. Simplifying and understanding various topographic indices for keratoconus using Scheimpflug based topographers. Indian J Ophthalmol 2020;68(12):2732–43.
[29] Saad A, Gatinel D. Topographic and tomographic properties of forme fruste keratoconus corneas. Invest Ophthalmol Vis Sci 2010;51(11):5546–55.
[30] Saad A, Gatinel D. Association of corneal indices for the detection of ectasia-susceptible corneas. J Refract Surg 2012;28(3):166.
[31] Smadja D, Santhiago MR, Mello GR, et al. Influence of the reference surface shape for discriminating between normal corneas, subclinical keratoconus, and keratoconus. J Refract Surg 2013;29(4):274–81.
[32] Smadja D, Touboul D, Cohen A, et al. Detection of subclinical keratoconus using an automated decision tree classification. Am J Ophthalmol 2013;156(2):237–46.
[33] Kirgiz A, Karaman Erdur S, Atalay K, Gurez C. The role of ocular response analyzer in differentiation of forme fruste keratoconus from corneal astigmatism. Eye Contact Lens 2019;45(2):83–7.
[34] Seiler T, Koufala K, Richter G. Iatrogenic keratectasia after laser in situ keratomileusis. J Refract Surg 1998;14:312–7.
[35] Smadja D, Santhiago MR, Mello GR, et al. Response of the posterior corneal surface to myopic laser in situ keratomileusis with different ablation depths. J Cataract Refract Surg 2012;38(7):1222–31.
[36] Santhiago MR, Smadja D, Gomes BAF, et al. Association between the percent tissue altered and post-laser in situ keratomileusis ectasia in eyes with normal preoperative topography. Am J Ophthalmol 2014;158(1):87–95.
[37] Randleman JB, Dawson DG, Grossniklaus HE, et al. Depth-dependent cohesive tensile strength in human donor corneas : implications for refractive surgery. J Refract Surg 2008;24(1):S85–9.
[38] Reinstein DZ, Archer TJ, Randleman JB. Mathematical model to compare the relative tensile strength of the cornea after PRK, LASIK, and small incision lenticule extraction. J Refract Surg 2013;29(7):454–60.
[39] Guo H, Hosseini-Moghaddam SM, Hodge W. Corneal biomechanical properties after SMILE versus FLEX, LASIK, LASEK, or PRK : a systematic review and meta-analysis. BMC Ophthalmol 2019;19(1).
[40] Francis M, Khamar P, Shetty R, et al. In vivo prediction of air-puff induced corneal deformation using LASIK, SMILE, and PRK finite element simulations. Invest Ophthalmol Vis Sci 2018;59(13):5320–8.
[41] Randleman JB, Russell B, Ward MA, et al. Risk factors and prognosis for corneal ectasia after LASIK. Ophthalmology 2003;110(2):267–75.
[42] Binder PS, Trattler WB. Evaluation of a risk factor scoring system for corneal ectasia after LASIK in eyes with normal topography. J Refract Surg 2010;26(4):241–50.
[43] Chan CC, Hodge C, Sutton G. External analysis of the Randleman ectasia risk factor score system : a review of 36 cases of post-LASIK ectasia. Clin Exp Ophthalmol 2010;38(4):335–40.
[44] Lim EWL, Lim L. Review of laser vision correction (LASIK, PRK and SMILE) with simultaneous accelerated corneal crosslinking–long-term results. Curr Eye Res 2019;44(11):1171–80.

[45] Taneri S, Kiessler S, Rost A, Dick HB. Corneal ectasia after LASIK combined with prophylactic corneal cross-linking. J Refract Surg2 2017;33(1):50–2.
[46] Rabinowitz YS. Keratoconus. Surv Ophthalmol 1998;42(4):297–319.
[47] Padmanabhan P, Rachapalle Reddi S, Sivakumar PD. Topographic, tomographic, and aberrometric characteristics of post-LASIK ectasia. Optom Vis Sci 2016;93(11):1364–70.
[48] Pavlatos E, Chen S, Chamberlain W, et al. Detection of corneal ectasia using OCT maps of pachymetry and posterior surface mean curvature. J Refract Surg 2022;38(8):502–10.
[49] Reinstein DZ, Archer TJ, Vida RS. Epithelial thickness mapping for corneal refractive surgery. Curr Opin Ophthalmol 2022;33(4):258–68.
[50] Salman A, Kailani O, Marshall J, et al. Evaluation of anterior and posterior corneal higher order aberrations for the detection of keratoconus and suspect keratoconus. Tomography 2022;8(6):2864–73.
[51] Zhao W, Shen Y, Jian W, et al. Comparison of corneal biomechanical properties between post-LASIK ectasia and primary keratoconus. J Ophthalmol 2020;2020:5291485.
[52] Yang K, Fan Q, Xu L, et al. Accuracy of tomographic and biomechanical parameters in detecting unilateral post-LASIK keratoectasia and fellow eyes. Front Bioeng Biotechnol 2023;11:1181117.
[53] Mazharian A, Panthier C, Courtin R, et al. Incorrect sleeping position and eye rubbing in patients with unilateral or highly asymmetric keratoconus : a case-control study. Graefes Arch Clin Exp Ophthalmol Albrecht Von Graefes Arch Klin Exp Ophthalmol 2020;258(11):2431–9.
[54] Mazharian A, Flamant R, Elahi S, et al. Medium to long term follow up study of the efficacy of cessation of eye-rubbing to halt progression of keratoconus. Front Med 2023;10:1152266.
[55] Sorkin N, Varssano D. Corneal collagen crosslinking : a systematic review. Ophthalmologica 2014;232(1):10–27.
[56] Wu D, Lim DK, Lim BXH, et al. Corneal cross-linking : the evolution of treatment for corneal diseases. Front Pharmacol 2021;12, 686630.
[57] Asgari S, Hashemi H, Hajizadeh F, et al. Multipoint assessment of demarcation line depth after standard and accelerated crosslinking in central and inferior keratoconus. J Curr Ophthalmol 2018;30(3):223–7.
[58] D'Oria F, Puzo P, Incandela C, et al. Evaluation of demarcation line after epithelium-off iontophoresis corneal collagen cross-linking for progressive keratoconus. J Clin Med 2021;10(15).
[59] Woodward MA, Randelman JB, Russell B, et al. Visuel rehabilitation and outcomes for ectasia after corneal refractive surgery. J Cataract Refract Surg 2008;34(3):383–8.
[60] Bromley JG, Randleman JB. Treatment strategies for corneal ectasia. Curr Opin Ophthalmol 2010;21(4):255–8.
[61] Kankariya VP, Dube AB, Grentzelos MA, et al. Corneal crosslinking (CXL) combined with refractive surgery for the comprehensive management of keratoconus : CXL plus. Indian J Ophthalmol 2020;68(12):2757–72.
[62] Kymionis GD, Grentzelos MA, Portaliou DM, et al. Corneal collagen cross-linking (CXL) combined with refractive procedures for the treatment of corneal ectatic disorders : CXL plus. J Refract Surg 2014;30(8):566–76.
[63] Bohac M, Biscevic A, Ahmedbegovic-Pjano M, et al. Management of post-LASIK ectasia. Mater Sociomed 2023;35(1):73–8.
[64] Benoist d'Azy C, Pereira B, Chiambaretta F, Dutheil F. Efficacy of different procedures of intra-corneal ring segment implantation in keratoconus : a systematic review and meta-analysis. Transl Vis Sci Technol 2019;8(3):38.
[65] Singal N, Ong Tone S, Stein R, et al. Comparison of accelerated CXL alone, accelerated CXL-ICRS, and accelerated CXL-TG-PRK in progressive keratoconus and other corneal ectasias. J Cataract Refract Surg 2020;46(2):276–86.
[66] Gadhvi KA, Romano V, Fernández-Vega Cueto L, et al. Deep anterior lamellar keratoplasty for keratoconus : multisurgeon results. Am J Ophthalmol 2019;201:54–62.
[67] Keane M, Coster D, Ziaei M, Williams K. Deep anterior lamellar keratoplasty versus penetrating keratoplasty for treating keratoconus. Cochrane Database Syst Rev 2014;7:CD009700.

Kératotomies radiaires

[68] Donders FC. On the anomalies of accommodation and refraction of the eye. London: Hatton Press ; 1864.
[69] Lans LJ. Experimentelle Untersuchungen über Entstehung von Astigmatismus durch nicht-perforirende Corneawunden. Albrecht Von Graefe's Archiv Für Ophthalmologie 1898;45:117–52.
[70] Van Alpen GWHM. On emmetropia and ametropia. New York: S. Carter ; 1961.
[71] Duke-Elder S, Abrams D. System of ophthalmology : ophthalmic optics and refraction. 5. St. Louis: Cv Mosby ; 1970.
[72] Waring GO. Refractive keratotomy for myopia and astigmatism. St. Louis: Mosby Yearbook ; 1992.
[73] Sato T. Treatment of conical corneal incision of Descemet's membrane. Acta Soc Ophthalmol Jap 1939;43:541.
[74] Sato T, Akiyama K, Shibata H. A new surgical approach to myopia. Am J Ophthalmol 1953;36:462–6.
[75] Durnev VV, Ivashina AL. Possibility of maximal elongation of incisions in radial keratotomy. In: Fyodorov SN, editor. Surgery for anomalies in ocular refraction. Moscow: Moscow Research Institute for Ocular Microsurgery ; 1981. p. 19–22.
[76] Fyodorov SN, Durnev VV. Operation of dosaged dissection of corneal circular ligament in cases of myopia of mid degree. Ann Ophthalmol 1979;11:1185–90.
[77] Vest v hhring, 565F. suppL 674 (GA ND 1983).
[78] Rabinowitz YS, Nesburn AB, McDonnell PJ. Videokeratography of the fellow eye in unilateral keratoconus. Ophthalmology 1993;100:181–6.
[79] Sanders DR, Deitz MR, Gallagher D. Factors affecting predictability of radial keratotomy. Ophthalmology 1985;92:1237–43.
[80] Lynn MJ, Waring GO, Sperdutto RD, et al. Factors affecting and predictability of radial keratotomy in the PERK study. Arch Ophthalmol 1987;105:42–51.
[81] Salz JJ, Villasenor RA, Elander R, et al. Four-incision radial keratotomy for low to moderate myopia. Ophthalmology 1986;93:727–38.
[82] Werblin TP, Stafford GM. The Casebeer System for predictable keratorefractive surgery : one-year evaluation of 205 consecutive eyes. Ophthalmology 1993;100:1095–102.
[83] Lucciola J. Traitement chirurgical de l'astigmatisme. Arch Ophthalmol 1986;16:1.
[84] Waring GO, Lynn MJ, Fielding B, et al. Results of the prospective evaluation of radial keratotomy (PERK) study 4 years after surgery for myopia. JAMA 1990;263:1083–91.
[85] Spiegleman AV, Williams PA, Nochols BD, et al. Four incision radial keratotomy. J Cat Refract Surg 1988;14:125–8.
[86] Waring GO, Lynn MJ, Fielding B, et al. Rationale for and design of the national eye institute Prospective Evaluation of Radial Keratotomy (PERK) study. Ophthalmology 1983;90:40–58.
[87] Melles GRJ, Wijdh RHJ, Cost B, et al. Effect of blade configuration, knife action and intraocular pressure on keratotomy incision depth and shape. Cornea 1993;12:299–309.
[88] Lee CP. Radial keratotomy : in-to-out and out-to-in. Preliminary results in the Singapore General hospital. Ann Acad Med Singapore 1989;18:141–50.
[89] Bores LD, Myers W, Cowden J. Radial keratotomy : an analysis of the American experience. Ann Ophthalmol 1981;13:941–8.
[90] Binder PS. Optical problems following refractive surgery. Ophthalmology 1986;93:739–45.
[91] Binder PS. Orthokeratology. In: Binder, et al., editors. Symposium on the cornea. Transaction of the New Orleans Academy of Ophthalmology. St. Louis, MO: CV Mosby Co. ; 1980. p. 149–66.

53.3. Effet Dellen

[92] Baum JL, Mishima S, Boruchoff SA. On the nature of Dellen. Arch Ophthalmol 1968;79(6):657–62.
[93] Mai G, Yang S. Relationship between corneal Dellen and tear-film breakup time. Yan Ke Xue Bao 1991;7(1):43–6.
[94] González-Martín-Moro J, Contreras I, Pérez-Bartolomé F, et al. Ultrastructural analysis of a corneal Dellen using optical coherence tomography. Clin Exp Optom 2020;103(5):702–3.
[95] González Gomez A, de Gor González, Crooke JL, García-Ben A, et al. Dellen and corneal perforation after bilateral pterygium

excision in a patient with no risk factors. BMJ Case Rep 2015. 2015 : bcr2015213319.
[96] Kwok SK, Tse DT. Central corneal Dellen : a complication of upper eyelid tarsotomy. Ophthalmic Plast Reconstr Surg 2000 ;16(3):237–40.
[97] Moesen I, Hafezi F, Paridaens D. Corneal dellen secondary to conjunctival chemosis following transconjunctival orbital decompression. Klin Monbl Augenheilkd 2007 ;224(11):856–7.
[98] Sakallioğlu AK, Garip R. Corneal Dellen development after strabismus surgery. Strabismus 2021 ;29(4):221–7.
[99] Fresina M, Campos EC. Corneal "Dellen" as a complication of strabismus surgery. Eye (Lond) 2009 ;23(1):161–3.
[100] Garcia-Medina JJ, Del-Rio-Vellosillo M, Zanon-Moreno V, et al. Severe scleral Dellen as an early complication of pterygium excision with simple conjunctival closure and review of the literature. Arq Bras Oftalmol 2014 ;77(3):182–4.
[101] Tsai YY, Lin JM, Shy JD. Acute scleral thinning after pterygium excision with intraoperative mitomycin C : a case report of scleral dellen after bare sclera technique and review of the literature. Cornea 2002 ;21(2):227–9.
[102] Ti SE, Tan DTH. Tectonic corneal lamellar grafting for severe scleral melting after pterygium surgery. Ophthalmology 2003 ;110(6):1126–36.
[103] Sharma B, Bajoria SK, Patnaik A, et al. Resolution of corneal Dellen after an uneventful pterygium surgery with punctal cautery. Cureus 2020 ;12(5), e8250.
[104] Dadeya S, Malik KPS, Gullian BP. Pterygium surgery : conjunctival rotation autograft versus conjunctival autograft. Ophthalmic Surg Lasers 2002 ;33(4):269–74.
[105] Bahar I, Weinberger D, Gaton DD, et al. Fibrin glue versus vicryl sutures for primary conjunctival closure in pterygium surgery : long-term results. Curr Eye Res 2007 ;32(5):399–405.
[106] Scotto R, Vagge A, Traverso CE. Corneal graft Dellen in a patient implanted with a Boston keratoprosthesis type 1. Int Ophthalmol 2017 ;37(1):263–6.
[107] Hyung SM, Min JP. Subconjunctival silicone oil drainage through the Molteno implant. Korean J Ophthalmol 1998 ;12(1):73–5.
[108] Fenzl CR, Moshirfar M, Gess AJ, et al. Dellen-like keratopathy associated with glaucoma drainage devices. World J Clin Cases 2014 ;2(1):1–4.
[109] Manabe K, Ikeda Y, Fujihara E, et al. Bleb wall recession technique to repair giant bleb formation after Ahmed Glaucoma Valve implantation : a case report. J Med Case Rep 2019 ;13(1):211.
[110] Mahgoub MM, Roshdy MM, Wahba SS. Dellen formation as a complication of subconjunctival silicone oil following microincision vitrectomy. Clin Ophthalmol 2017 ;11:2215–9.
[111] Kymionis GD, Plaka A, Kontadakis GA, et al. Treatment of corneal Dellen with a large diameter soft contact lens. Cont Lens Anterior Eye 2011 ;34(6):290–2.
[112] Agarwal R, Nagpal R, Todi V, et al. Descemetocele. Surv Ophthalmol 2021 ;66(1):2–19.
[113] Rahhal-Ortuño M, Fernández-Santodomingo AS, Martínez-Rubio C, et al. Use of plasma rich in growth factors (PRGF-Endoret®) fibrin membrane to cover corneal Dellen. Rom J Ophthalmol 2021 ;65(3):293–5.
[114] Abreu Reyes P, Delgado Miranda JL, Herrera Piñero R, et al. Technique of inverse scleral flap in the treatment of peripheral corneal defects (Abreu and Delgado technique). Arch Soc Esp Oftalmol 2001 ;76(4):209–12.