Bibliographie

65.1. Kératoplastie transfixiante : indications, techniques et suivi

[1] Park CY, Lee JK, Gore PK, et al. Keratoplasty in the United States : a 10-year review from 2005 through 2014. Ophthalmology 2015;122(12):2432–42.

[2] Karabatsas CH, Cook SD, Figueiredo FC, et al. Combined interrupted and continuous versus single continuous adjustable suturing in penetrating keratoplasty : a prospective, randomized study of induced astigmatism during the first postoperative year. Ophthalmology 1998;105(11):1991–8.

[3] Spadea L, Cifariello F, Bianco G, Balestrazzi E. Long-term results of penetrating keratoplasty using a single or double running suture technique. Graefes Arch Clin Exp Ophthalmol 2002;240(5):415–9.

[4] Coster DJ, Williams KA. The impact of corneal allograft rejection on the long-term outcome of corneal transplantation. Am J Ophthalmol 2005;140(6):1112–22.

[5] Lowe MT, Keane MC, Coster DJ, Williams KA. The outcome of corneal transplantation in infants, children, and adolescents. Ophthalmology 2011;118(3):492–7.

65.2. Gestion de l'astigmatisme après greffe

[6] Sarhan AR, Dua HS, Beach M. Effect of disagreement between refractive, keratometric, and topographic determination of astigmatic axis on suture removal after penetrating keratoplasty. Br J Ophthalmol 2000;84(8):837–41.

[7] Yilmaz S, Ali Ozdil M, Maden A. Factors affecting changes in astigmatism before and after suture removal following penetrating keratoplasty. Eur J Ophthalmol 2007;17(3):301–6.

[8] Palay DA, Kangas TA, Stulting RD, et al. The effects of donor age on the outcome of penetrating keratoplasty in adults. Ophthalmology 1997;104(10):1576–9.

[9] Hjortdal JO, Ehlers N, Erdmann L. Topography of corneal grafts before and after penetrating keratoplasty. Acta Ophthalmol Scand 1997;75(6):645–8.

[10] Olson RJ. Prevention of astigmatism in corneal transplant surgery. Int Ophthalmol Clin 1988;28(1):37–45.

[11] van Rij G, Cornell FM, Waring GO, et al. Postoperative astigmatism after central vs eccentric penetrating keratoplasties. Am J Ophthalmol 1985;99(3):317–20.

[12] Por YM, Cheng JYC, Parthasarathy A, et al. Outcomes of femtosecond laser-assisted penetrating keratoplasty. Am J Ophthalmol 2008;145(5):772–4.

[13] Chamberlain WD, Rush SW, Mathers WD, et al. Comparison of femtosecond laser-assisted keratoplasty versus conventional penetrating keratoplasty. Ophthalmology 2011;118(3):486–91.

[14] Wade M, Muniz Castro H, Garg S, et al. Long-term results of femtosecond laser-enabled keratoplasty with zig-zag trephination. Cornea 2019;38(1):42–9.

[15] Filatov V, Alexandrakis G, Talamo JH, Steinert RF. Comparison of suture-in and suture-out postkeratoplasty astigmatism with single running suture or combined running and interrupted sutures. Am J Ophthalmol 1996;122(5):696–700.

[16] Serdarevic ON, Renard GJ, Pouliquen Y. Randomized clinical trial of penetrating keratoplasty. Before and after suture removal comparison of intraoperative and postoperative suture adjustment. Ophthalmology 1995;102(10):1497–503.

[17] Javadi MA, Naderi M, Zare M, et al. Comparison of the effect of three suturing techniques on postkeratoplasty astigmatism in keratoconus. Cornea 2006;25(9):1029–33.

[18] Hoppenreijs VP, Van Rij G, Beekhuis WH, et al. Causes of high astigmatism after penetrating keratoplasty. Doc Ophthalmol Adv Ophthalmol 1993;85(1):21–34.

[19] Ho Wang Yin G, Hoffart L. Post-keratoplasty astigmatism management by relaxing incisions : a systematic review. Eye Vis Lond Engl 2017;4:29.

[20] Lindstrom RL. The surgical correction of astigmatism : a clinician's perspective. Refract Corneal Surg 1990;6:441–54.

[21] Hanna KD, Hayward JM, Hagen KB, et al. Keratotomy for astigmatism using an arcuate keratome. Arch Ophthalmol 1993;111:998–1004.

[22] Cleary C, Tang M, Ahmed H, et al. Beveled femtosecond laser astigmatic keratotomy for the treatment of high astigmatism post-penetrating keratoplasty. Cornea 2013;32:54–62.

[23] Al Sabaani N, Malki S, Al Jindan M, et al. Femtosecond astigmatic keratotomy for postkeratoplasty astigmatism. Saudi J Ophthalmol 2016;30:163–8.

[24] St Clair RM, Sharma A, Huang D, et al. Development of a nomogram for femtosecond laser astigmatic keratotomy for astigmatism after keratoplasty. J Cataract Refract Surg 2016;42:556–62.

[25] Böhringer D, Dineva N, Maier P, et al. Long-term follow-up of astigmatic keratotomy for corneal astigmatism after penetrating keratoplasty. Acta Ophthalmol (Copenh) 2016;94(7):e607–11.

[26] Chang JSM. Femtosecond laser-assisted astigmatic keratotomy : a review. Eye Vis Lond Engl 2018;5:6.

[27] Kovoor TA, Mohamed E, Cavanagh HD, Bowman RW. Outcomes of LASIK and PRK in previous penetrating corneal transplant recipients. Eye Contact Lens 2009;35(5):242–5.

[28] Netto MV, Mohan RR, Sinha S, et al. Stromal haze, myofibroblasts, and surface irregularity after PRK. Exp Eye Res 2006;82(5):788–97.

[29] Carones F, Vigo L, Scandola E, Vacchini L. Evaluation of the prophylactic use of mitomycin-C to inhibit haze formation after photorefractive keratectomy. J Cataract Refract Surg 2002;28(12):2088–95.

[30] Bandeira E, Silva F, Hazarbassanov RM, et al. Visual outcomes and aberrometric changes with topography-guided photorefractive keratectomy treatment of irregular astigmatism after penetrating keratoplasty. Cornea 2018;37(3):283–9.

[31] Spadea L, Saviano M, Di Gregorio A, et al. Topographically guided two-step LASIK and standard LASIK in the correction of refractive errors after penetrating keratoplasty. Eur J Ophthalmol 2009;19(4):535–43.

[32] Alfonso-Bartolozzi B, Fernández-Vega-Cueto L, Poo-López A, et al. Intrastromal corneal ring segments implantation after deep anterior lamellar keratoplasty for astigmatism correction : mid-term and long-term follow-up. Cornea 2023;42(8):962–9.

[33] Arantes JCD, Coscarelli S, Ferrara P, et al. Intrastromal corneal ring segments for astigmatism correction after deep anterior lamellar keratoplasty. J Ophthalmol 2017;2017:8689017.

[34] Belmont SC, Lazzaro DR, Muller JW, Troutman RC. Combined wedge resection and relaxing incisions for astigmatism after penetrating keratoplasty. J Refract Surg Thorofare NJ 1995 1995;11(6):472–6.

[35] Mejía LF, Gil JC, Naranjo S. Long-term results of corneal wedge resection for high postkeratoplasty astigmatism. Cornea 2020;39(5):535–9.

[36] Ghanem RC, Azar DT. Femtosecond-laser arcuate wedge-shaped resection to correct high residual astigmatism after penetrating keratoplasty. J Cataract Refract Surg 2006;32(9):1415–9.